Freedom Works[™]



Tactile Indicators - GMSSD10 Technical Data Sheet

Product Name	GMSSD10 Tactile Ground Surface Directional Indicator		
Description	Solid 316 Marine Grade Stainless Steel recommended for indoors and outdoors, commercial carparks, footpaths, shopping centres, hospitals, schools – any public spaces requiring accessibility treatment		
Freedom Works Code	GMSSD10		
Masterspec Code	Interior	6615FG	
	Exterior	8281FG	
Warranties	Installation warranty	1 year	
	Product Warranty	10 years	
Luminance Test	Provides colour contrast. Discrete Tactiles must be 45% to that of the surround substrate surface area		

Code Compliance	NZTA RTS14	Land Transport New Zealand – Guidelines for facilities for the blind and vision impaired	
	AS/NZS 1428.4.2009	Design for access and mobility, Part 4	
	NZS4121:2001	Design for access and mobility – building and associated facilities	
	All slip resistance tests are done in accordance with AS/NZS4586:2004		
	Land Transport's Pedestrian Planning and Design Guide		
	The Royal N.Z. Foundation for the Blind Design Guide Recommendations/ Specifications		

Base Material	Solid 316 Marine Grade Stainless Steel		
Dimensions	Length	285mm	
	Width	35mm	
	Height	25mm	
Features & Applications	Provides direction to the blind and visually impaired		
Installation Methods	Drill and Adhesive Fix or Drill and Friction Fit		
Sustainability	Declare Label Certified		
	LBC Compliant	Red List Approved	
Slip Resistance Rating	P4		

freedomworks.co.nz sales@freedomworks.co.nz

09 320 1338 0800 687 004

Scan to visit the webpage
















Freedom Works



Tactile Indicators - GMSSD10 Technical Drawings & Imagery





freedomworks.co.nz sales@freedomworks.co.nz

09 320 1338 0800 687 004

Scan to visit the webpage













